sunfung-tech.com

Sunfung Technology Corporation Ltd

Add: No 1191 Linding Road, Jianggan District, Hangzhou, 310022 CHINA
Tel: +86 (0)571 8517 5095
Web: www.sunfung-tech.com
Email: info@sunfung-tech.com

Sunfung Technology Corporation LTD

SF-16 series UV coater

Mini automatic UV coating machine

MAIN FEATURES:

Model:	SF-16A	SF-16
Coating Speed:	25m/minute	25m/minute
Paper Thickness:	157-600gsm	157-600gsm
Format:	410mm x Any length	410mm x Any length
Feeding:	Auto	Manual
Power Supply:	220V, 50Hz, 5.5Kw	220V, 50Hz, 4.5Kw
Gross Weight:	260 Kg	210 Kg
Dimension:	230 x 79 x 100cm	190 x 79 x 100cm

SF-16A UV coating machine processing 410mm (16") paper widths up to 25m (82feet) per minute, the SF-16A UV coater provides a high featured UV coating machine for short volume demands. Sunfung new UV coater enhances the value and vibrancy of printed pieces and offers unique coating capabilities. The applicator and impression rollers engage only at the start and end of the sheet, ensuring a smear-free, clean finish on one side.

SF-16A UV coater is compact, economical and easy to operate, which applies a glossy or satin finish to a wide range of offset and digitally-printed applications, enhancing the richness of its colors while protecting them from scratches and scuffing. Configured with the high capacity Air Suction Feeder, the SF-16A UV coater features innovative technology for coating one side of the sheet with a smear-free finish. Print providers can offer double the value by coating both sides of direct mailers, brochures, business cards, book covers, and much more!

PRODUCT FEATURES:

Gloss or satin coating available
Handles both offset and digital print applications
Accommodates 410mm/16" paper widths
Infrared heater helps coat difficult stock with smooth and accurate finishes
Comes standard with the high capacity SF-A Air Suction Feeder
Work with HP, Kodak, Riso digital printers, etc
Book covers, Business cards, Brochures, Calendars, Announcements, Posters

SF-12M

Entry level A4 folding machine







MAIN FEATURES:

Folding speed:	7000 sheets/ hour
Paper size:	B6-A4
Paper weights:	35~120 g/㎡
Hopper capacity:	300 sheets, 64 g/㎡
Power supply:	220V, 50Hz/ 110V, 60Hz
Dimensions:	W 670 x D 360 x H 425 mm
Weight:	18Kg



PRODUCT FEATURES:

Digital display with ascending and descending counter, guarantee an easy operation.
Cleared marked fold settings. Include Single, Letter, Zigzag, Double parallel.
Extendable feed tray saving your space on the desk.

Paper folder SF-12M is solid and durable machine, which is an extremely economical solution to fold higher volumes of paper as well. The SF-12M can process a large variety of applications. The SF-12M Office Desktop Folder provides an economical solution for low-volume folding projects.

User-friendly features include an LCD control panel with 3-digital resettable counter, Auto Batch for processing sets of documents, and an output conveyor with easily-adjustable stacker wheels for neat sequential stacking of folded pieces.

Clearly marked fold settings and out-of-the-box operation make this folder ideal for churches, schools and small office that demand quick and easy set-up with minimal adjustment.

SF-14M

Compact folding machine with 4 fold plates





MAIN FEATURES:

Folding speed:	7000 sheets/ hour
Paper size:	B6-A4
Paper weights:	35~120 g/㎡
Hopper capacity:	300 sheets, 64 g/㎡
Power supply:	220V, 50Hz/ 110V, 60Hz
Dimensions:	W 480 x D 520 x H 470 mm
Weight:	25Kg

PRODUCT FEATURES:

Connect with A4 vertical stacker to collect small folded sheets.
More than 10 fold types available, minimum folded sheet height 17 mm.
Extendable feed tray saving your space in your room.

Paper Folder SF-14M is a fast, dependable and easy-to-use solution for virtually all folding applications. Popular folds are clearly marked on the fold plates for quick set-up and operation, simply slide the fold stop to the desired fold and go. Additional fold adjustments can be made with the fine tuning knobs at the end of each fold plates for precision folding.

It's durable construction, simple operation, excellent design and attractive appearance make it a unique machine for the pharmaceutical industry.

Paper folders are useful in almost every industry. For the pharmaceutical industry, Sunfung made the SF-14M. With simple operation and multi-function purpose, the SF-14M paper folder provides convenience and efficiency.



SF-22M

A4 folding machine with creasing







MAIN FEATURES:

Folding speed:	7000 sheets/ hour
Paper size:	B6-A4
Paper weights:	50~200 g/㎡
Hopper capacity:	300 sheets, 64 g/㎡
Power supply:	220V, 50Hz/ 110V, 60Hz
Dimensions:	W 876 x D 362 x H 460 mm
Weight:	26Kg

PRODUCT FEATURES:

A4 size paper folder with creasing option.
Cleared marked fold settings. No training needed.
Normal 6 fold types available, Single, Letter, Zigzag, Double parallel, Gate, Fold-out

Paper Folder SF-22M provides an economical solution for low-volume folding projects. Clearly marked fold setting and out-of-box operation make this folder ideal for churches, schools, and office that demand quick and easy set-up with minimal adjustment. The SF-22M office folder is able to handle A4 sheets. The adjustment of the folding plates is done in no time: both folding plates have a self-explaining scale for 4 different fold types, include cross fold. Additionally each plate is equipped with a quick and fine-tune adjustment to achieve always perfect folding result.

With A4 paper delivery stacker and creasing feature as option, which can maximum satisfy different folding jobs from customers locally.

SF-32M

A3 Efficient paper folding machine







MAIN FEATURES:

Folding speed:	7000 sheets/ hour
Paper weights:	50~200 g/㎡
Paper size:	B6-A3
Hopper capacity:	500 sheets, 64 g/㎡
Power supply:	220V, 50Hz/ 110V, 60Hz
Dimensions:	W 890 x D 480 x H 520 mm
Weight:	35Kg

PRODUCT FEATURES:

Three feed rollers avoid slip, adjustable feeding pressure.
500 sheets hopper capacity for A3 papers
Paper delivery roller for better paper collection

Paper Folder SF-32M is solid and durable machine, which is an extremely economical solution to fold higher volumes paper. It can process a large variety of applications and easy to operate. It works fast and accurately and can be used in any office and mailrooms.

The SF-32M Desktop Paper Folder is able to handle sheets up to A3. The adjustment of the folding plates is done in no time: both folding plates have a self-explaining scale for 6 different fold types. Each plates is equipment with a quick and fine-tune adjustment to achieve perfect folding result. Whether the application is a letter, flyer, brochure or billing statement etc

SF-34M

Powerful A3 folding machine with 4 fold plates





MAIN FEATURES:

Folding speed:	7000 sheets/ hour
Paper size:	B6-A3
Paper weights:	50~200 g/㎡
Hopper capacity:	500 sheets, 64 g/㎡
Power supply:	220V, 50Hz/ 110V, 60Hz
Dimensions:	W 1240 x D 550 x H 464 mm
Weight:	48Kg

PRODUCT FEATURES:

Over 10 fold types available based on 4 fold plates.
Adjustable feeding pressure for different paper thickness, avoid slip.
Connect with 2P/4P for cross folding lines, collecting small folded sheets 23 mm with A3 vertical stacker.

Paper Folder SF-34M is a fast, dependable and easy-to –use solution for virtually all folding applications. Fold adjustments can be made with fine tuning knobs at the end of each fold plates for precision folding.

The SF-34M paper folder handles the paper with a max speed 7,400 sheets/h. The capacity of the automatic feed station is up to 500 sheets.

For the Pharmaceutical, Beauty Industry SF-34M paper folder is a multi-purpose functioning folding machine for the pharmaceutical, cosmetic, toy factory. It's durable construction, simple operation, excellent design make it a unique in the world for the pharmaceutical industry etc.



SF34M + 2P

First Tabletop Cross Fold Line in China





MAIN FEATURES:

Folding speed:	7000sheets/ hour
Paper size:	B7-A3
Paper weights:	50~157 g/㎡
Paper stack capacity:	500 sheets, 80 g/㎡
Power supply:	220V, 50Hz/ 110V, 60Hz
Dimensions:	W 1425 x D 1362 x H 635 mm
Weight:	98Kg

It's FIRST tabletop cross folding line in China. This cross folding line handles the paper with a maximum speed 7,400 sheets/h. The capacity of the automatic feed is up to 500 sheets.

Over 20 fold types include cross folding available. It's one stop for all folding needs of the digital printing papers. The cross folding line is very famous for toy factories, pharmacy factories, and some other small digital printing shops, which need to do cross paper folding. Minimum can collect 23mm folded sheet size when we add the A3 stacker according customers demands. That makes it more popular in printing or packaging market.





SF-520

Highly competitive 520 hydraulic paper cutter machine

MAIN FEATURES:

Model:	SF-520
Max width (mm):	520
Min depth (mm):	30
Cut height:	80
Accuracy (mm):	0.3
Paper clamp:	Hydraulic
Back gauge control:	Programmable
Display:	LED touch screen
Safety:	CE safety beam
Power supply:	220V, 50Hz/ 110V, 60Hz
Dimensions:	1250X1010X1560
Net weight(kg):	355

PRODUCT FEATURES:

Hydraulic-powered, rugged construction

Easy-to-read LED touch screen digital display

Beam with CE standard for operator safety

Double guide back gauge

The capacity to program up to 40 jobs/7cuts

Clamp pressure from 200—20,000 N adjustable





SF-520 series hydraulic and digital paper cutter offers a maximum width of 520mm, capable of handling most commercial paper cutting needs. It is the perfect cutter for print finishing and on-demand working situations.

SF-520 paper cutters have LED display help you easy–to-read and beam guard with CE standard promise safety operation.

Hydraulic and Digital paper cutters are the most powerful to precisely cut large stacks of paper stock. Suitable to quick-print, copy shop, in-plant, offset, or on-demand print shops.

SF-520 paper cutters are designed to last for years of print shop duty cutting – up to 12,000 cuttings after sharpening.

SF-P series of paper cutter

Commercial Paper Cutter Programmable control hydraulic cutter

MAIN FEATURES:

Model:	SF-52P	SF-67P	SF-72P
Max width (mm):	520	670	720
Min depth (mm):	30	30	30
Max Cut height(mm):	80	80	80
Accuracy (mm):	0.3	0.3	0.3
Paper clamp:	Hydraulic+Foot pedal	Hydraulic+Foot pedal	Hydraulic+Foot pedal
Back gauge control:	Programmable	Programmable	Programmable
Display:	LED touch screen	LED touch screen	LED touch screen
Safety:	Blade lock+CE safety beam	Blade lock+CE safety beam	Blade lock+CE safety beam
Power supply:	220V,50Hz/110V,60Hz	220V,50Hz/110V,60Hz	220V,50Hz/110V,60Hz
Dimensions:	W1250XD1010XH1390	W1400XD1010XH1390	W1450XD1010XH1390
Net weight(Kg):	350	410	460
Gross weight(Kg):	430	490	540



PRODUCT FEATURES:

Hydraulic-powered, rugged construction
Easy-to-read LED touch screen full color display
Beam with CE standard for operator safety
Double guide back gauge
The capacity to program up to 50 jobs/16cuts
Clamp pressure from 200—20,000 N adjustable
Omron PLC control box
Ball roller non-slot paper table

SF-P series hydraulic and programmable paper cutters are available in fully-automatic models. Cutting widths are available up to 720 mm. SF-P has double guide back gauge to promise long time use .SF-P series of paper cutters with US / Europe OEM quality so that they are user friendly and easy to operate, thanks to features such as LED display touch screen with full status and side buttons for easy two-hand operation. Omron PLC control box satisfied demand of customer and longtime job. It is easy to move paper with ball roller non-slot paper table. SF-P series paper cutter duty cutting – up to 18,000 cuttings after sharpening.

SF-H series of paper cutter

Heavy duty guillotine cutter with 10 inch touch screen

MAIN FEATURES:

Model:	SF-H67P	SF-H80P
Max width (mm):	670	800
Min depth (mm):	30	30
Max Cut height(mm):	80	80
Accuracy (mm):	0.2	0.2
Air table:	YES	YES
Paper clamp:	Hydraulic+Foot pedal	Hydraulic+Foot pedal
Back gauge control:	Programmable	Programmable
Display:	LED touch screen	LED touch screen
Safety:	Blade lock+CE safety beam	Blade lock+CE safety beam
Power supply:	220V,50Hz/110V60Hz	220V,50Hz/110V60Hz
Dimensions:	W1400XD1035XH1460	W1450XD1085XH1460
Net weight(Kg):	550	650
Gross weight(Kg):	620	730



PRODUCT FEATURES:

Heavy duty design and construction
Easy-to-use 10 inch touch screen full color display
Industrial level beam guard with CE standard
Double guide back gauge
The capacity to program up to 50 jobs/32cuts
Clamp pressure from 200—20,000 N adjustable
Omron PLC control box
STEPBRO-S Motor and Vane pump from Taiwan
Air table

SF-H series paper cutter is new heavy duty guillotine cutters from Sunfung. There are the most powerful to precisely cut large stacks of paper stock. Cutting widths are available up to 800 mm.

SF-H series paper cutters satisfied normal need with program up to 50 jobs/32cuts. It has STEPBRO-S Motor and Vane pump from Taiwan promise longtime job and strong quality.

SF-H series paper cutter has 10 inch touch screen full color display help you easy to use. And beam with CE standard for operator safety

Our paper cutters are designed to last for years of print shop duty cutting – up to 18,000 cuttings after sharpening.

SF-390 Digital laminator

Entry level digital laminator

MAIN FEATURES:

Model:	SF-390
Max film width:	380 mm
Max film thickness:	6 mm
Power consumption:	1500 W
Max speed:	5 m/min
Temperature range:	20-140 degree
Paper thickness:	90-600 gsm
Warm up time:	10 minutes
Rollers:	4 (2 steel + 2 rubber)
Core size:	1" & 3"
Heating method:	Steel roller
Power supply:	220-240, 50Hz
Machine Dimension:	W1010 x D740 x H620 mm
Gross weight:	100 Kg

The digital laminator from Sunfung is a hot laminator and allows the flexibility of single side OPP roll film lamination and encapsulation providing an affordable and effective solution to outsourcing.Built for continuous use on an everyday basis and constructed using parts of the highest quality only.The digital laminator has been designed to help breathe life into your business by allowing you to provide your customers with a service you previously had to outsource, enabling you to offer your customers a truly one-stop shop.

PRODUCT FEATURES:

The anti-curl bar allows thin film laminates to be flat
Laminates 1-10.0 mil, one side
Fast speed and temperature control
Non-sticky film roller
Thermal or Cold laminating
Steel roller for even heating
Mechanical cam clamp system, better than Spring



SF-520/720 B Digital hydraulic laminator

Hydraulic laminator with auto collection feature

MAIN FEATURES:

Model:	SF-520B	SF-720B
Max film width:	480 mm	690 mm
Max film thickness:	6 mm	6 mm
Power consumption:	4000 W	4000 W
Max speed:	12 m/min	12 m/min
Temperature range:	20 - 160 C	20 - 160 C
Paper thickness:	90 - 600 gsm	90 - 600 gsm
Warm up time:	12 minutes	12minutes
Rollers:	4 (2 steel + 2 rubber)	4 (2 steel + 2 rubber)
Core size:	3"	3"
Heating method:	Steel roller	Steel roller
Hydraulic pressure:	5 -6 Mpa	5 -6 Mpa
Power supply:	220V-240V, 50Hz	220V-240V, 50Hz
Machine Dimension:	W800 x D1200 x H1200 mm	W1100 x D1700 x H1400 mm
Gross weight:	240 Kg	300 Kg

The digi Hydraulic laminator from Sunfung is a hot laminator and allows the flexibility of single side OPP roll film lamination and encapsulation providing an affordable and effective solution to outsourcing. Built for continuous use on an everyday basis and constructed using parts of the highest quality only.The digital laminator has been designed to help breathe life into your business by allowing you to provide your customers with a service you previously had to outsource, enabling you to offer your customers a truly one-stop shop.

PRODUCT FEATURES:

Auto Separation option
The anti-curl bar allows thin film laminates to be flat
Laminates 1-10.0 mil, one side
Fast speed and temperature control
Non-sticky film roller
Thermal or Cold laminating
Steel roller for even heating

SF-520/720 Z Hydraulic laminator

Hydraulic laminator with auto separation feature

MAIN FEATURES:

Model:	SF-520Z	SF-720Z
Max film width:	480 mm	690 mm
Max film thickness:	6 mm	6 mm
Power consumption:	4000 W	4000 W
Max speed:	12 m/min	12 m/min
Temperature range:	20 - 160 C	20 - 160 C
Paper thickness:	90 - 600 gsm	90 - 600 gsm
Warm up time:	15 minutes	15 minutes
Rollers:	4 (2 steel + 2 rubber)	4 (2 steel + 2 rubber)
Core size:	3"	3"
Heating method:	Steel roller	Steel roller
Hydraulic pressure:	5 -6 Mpa	5 -6 Mpa
Power supply:	220V-240V, 50Hz	220V-240V, 50Hz
Machine Dimension:	W900 x D1600 x H1400 mm	W1100 x D1900 x H1400 mm
Gross weight:	380 Kg	480 Kg

The hydraulic laminator from Sunfung is a hot laminator and allows the flexibility of single side OPP roll film lamination and encapsulation providing an affordable and effective solution to outsourcing. Built for continuous use on an everyday basis and constructed using parts of the highest quality only. The hydraulic laminator has been designed to help breathe life into your business by allowing you to provide your customers with a service you previously had to outsource, enabling you to offer your customers a truly one-stop shop.

PRODUCT FEATURES:

- Auto separation feature
- Hydraulic control paper press
- Heavy duty construction
- Fast speed and temperature control
- Non-sticky film roller
- Thermal or Cold laminating
- Steel roller for even heating
- Overlap feed separation
- Higher standard electrical control



SF-11

Stable and Tough A3+ Booklet Maker

MAIN FEATURES:

Capacity :	25 sheets，80gsm
Max speed:	1000sets/h
Sheet Size:	182x257mm-330x480mm
Paper weight:	30-180gsm
Staple modes:	Saddle, Side, Corner stapling
Staple heads:	2
Counter:	4 digit up (3 digit down)
Staple size:	66/6
Dimensions:	W 520 x D 580 x H 300mm
Weight:	44 Kg



The SF-11 booklet maker has built in LCD counter control booklet making jobs. It has automatic mode and manual mode. It staples & folds automatically. Or it staples and folds sheets as soon as the start button is pushed. After finishing a booklet, increase/ decrease the number according to selected count mode. 3 modes can be switched: staple/ fold / staple & fold.

The SF-11 booklet maker's fastest speed is 1000 booklets per hour. 18 sheets, 64gsm papers offer a good support for different booklets. Sturdy staple head which can be your very good choice for entry-middle booklet maker in digital print shops, and other booklet making applications.

SF-10

Entry electric creaser

MAIN FEATURES:

Model:	SF-10
Paper length(mm):	90-900
Paper width(mm):	50-340
Paper weight(gsm) :	100-350
Work accuracy(mm):	+/-0.3
Work Speed:	(Sheets/h)2400
Max Crease lines per sheet:	32
Power supply:	220V / 110V, 50-60Hz
Weight(Kg):	48
Dimensions(mm):	620 x 620 x 490

Coated paper, offset paper, laminated paper, photo paper 100-350 gsm

Single crease, perforating available

Side-in tools for easy exchange

32 lines available in one crease

Progressive function standard

Safety digital control according CE standard

Easy blade replacement and maintenance

SF-D60C series book binder

Automatic binding machine with side glue

MAIN FEATURES:

Model:	D60C-A3	D60C-A4
Max book length(mm):	425	310
Spine thickness(mm):	60	60
Bind speed(books/h):	200-400	200-400
Cutting method:	Notching and Milling	Notching and Milling
Warm up time:	Less than 25 minutes	Less than 25 minutes
Glue type:	EVA	EVA
Glue roller:	Single roller	Single roller
Side glue:	Yes	Yes
Power supply:	AC 220V,50Hz 110V,60Hz	AC 220V,50Hz 110V,60Hz
Dimension(mm):	W1590 X D750 X H1100	W1330 X D750 X H1100
Net weight(kg):	220	190
Option:	Creaser, Dust extraction device	Creaser, Dust extraction device



PRODUCT FEATURES:

LED display, multi-parameter settings
EVA hot melt side glue for fast finishing
Dust extraction option
Strong milling and notching device
Spine thickness up to 60mm
Adjustable clamp table position for
different thickness book cover

Book Binder SF-D60C is specially designed for cut sheet application and offers simple operation with minimal training needed to produce professional quality books.
Sunfung SF-D60C book binder single clamp perfect binder, satisfies the fast growing demand for short-run digital books binding.
Entry level automatic perfect binder with LCD display, allows the operator to easily adjust a range of settings include clamping pressure, nipping pressure and much more.

SF-S60C series book binder

Professional binding machine with 3 rollers + side glue

MAIN FEATURES:

Model:	S60C-A3	S60C-A4
Max book length(mm):	425	310
Spine thickness(mm):	60	60
Bind speed(books/h):	200-400	200-400
Cutting method:	Notching and Milling	Notching and Milling
Warm up time:	Less than 35 minutes	Less than 35 minutes
Glue type:	EVA	EVA
Glue roller:	Three rollers	Three rollers
Side glue:	Yes	Yes
Power supply:	AC 220V,50Hz 110V,60Hz	AC 220V,50Hz 110V,60Hz
Dimension(mm):	W1770 X D750 X H1150	W1480 X D750 X H1150
Net weight(kg):	230	200
Option:	Creaser, Dust extraction device	Creaser, Dust extraction device

PRODUCT FEATURES:

LED display, multi-parameter settings
3 rollers system ensure perfect and firm binding
Dust extraction option
Strong milling and notching device
With creasing machine options
EVA Hot melt side glue benefits

Book Binder SF-S60C from Sunfung is middle level perfect binder, designed for short to medium runs with excellent result. Three glue rollers with side glue feature guarantee fast binding speed and help to make more flat book bindings.
Also the SF-S60C book binder nipping table depth is adjustable for different kind of covers. Dust extractor option help to make clean binding environment. Creasing option which bind perfect square backed books or pads.

SF-B600 series of book binder

Heavy duty glue binding machine for Art Paper

MAIN FEATURES:

Model:	B600T	B600M
Max book length(mm):	425	425
Spine thickness(mm):	60	60
Bind speed(books/h):	200-400	200-400
Cutting method:	Notching and Milling	Notching and Milling
Warm up time:	Less than 35 minutes	Less than 35 minutes
Glue type:	EVA	EVA
Glue roller:	Three rollers	Three rollers
Side glue:	Yes	Yes
Art paper:	Yes	No
Control panel:	Touch screen	Touch screen
Power supply:	AC 220V,50Hz 110V,60Hz	AC 220V,50Hz 110V,60Hz
Dimension(mm):	W1700 X D750 X H1000	W1480 X D750 X H1150
Net weight(kg):	350	350
Option:	Creaser, Dust extraction device	Creaser, Dust extraction device

PRODUCT FEATURES:

Touch screen operation complete with automatic format change
Three rollers and side glue ensure perfect and firm binding
Dust extraction option
Strong milling and notching device
With creasing machine options
Suitable for Art Printing Paper

Book Binder SF-B600 from Sunfung is the most advanced version with touch screen control panel.
The user friendly and automatic SF-B600 series perfect binder brings professional perfect binding to your place. Producing up to 300 books per hour, which is ideal for short-run, on demand applications.
With the automated performance and other outstanding features typically reserved for more expensive models, this perfect binder provides centrally located controls for single operator efficiency. Simply place flat sheets into the clamp where pages are gripped automatically and the binding process begins. Flexible clamping and nipping system ensure consistent square binds.
The SF-B600 perfect binder offers easy changeover to tape binding and two different tapes sizes are available. Other enhancements include new milling and notching blades along with a new side glue tank for improved glue application and binding. The side glue provides better adhesion and helps form the book spine. The clamp also features a newly, redesigned double rail for enhanced binding performance.

SF-490E electric paper cutter

Compact powerful electric paper cutter

MAIN FEATURES:

Model:	SF-490E	SF-460E
Max cut width:	490 mm	460 mm
Max cut height:	80 mm	80 mm
Cut Precision:	+/-0.3 mm	+/-0.3 mm
Backgauge Control:	Electric	Electric
Safety Protection:	IR Beam guard	IR Beam guard
Power:	220V ±10% 50HZ	220V ±10% 50HZ
Watt:	1.2 Kw	1 Kw
Display:	LCD	LCD
Program:	5 cuts x 99 programs	5 cuts x 99 programs
Dimension:	950*780*1225 mm	945*725*1310 mm
Weight:	165 Kg	150 Kg

PRODUCT FEATURES:

Accommodates 490 mm cutting width
Easy-to-read LCD display
Full light beam curtain and dual palm cut buttons for operator safety
LED illuminated cutting line
99 programs with 5 steps each
Quiet operation
Power back gauge, electric, variable speed back gauge line adjustment
Compact design

Sunfung offers quality electric Paper Cutter machines that are durable and precise. Paper Cutters can be used in quick print, copy shop, offet or on-demand market. Even for low volume cutting environment like offices.SF-490E automatic paper cutter offers precision cutting for paper stacks up to 80 mm, 490 mm width max. 5 cuts per program with 99 programs totally. IR safety beam guard. Electric clamp and electic backgauge control. 0.3 mm cutting accuracy with quiet operations.