



**SUNFUNG TECHNOLOGY CORPORATION LTD**

☎ 0086-571-85175095

🌐 <https://sunfung-tech.com>



📍 No 1191.Linding Road, Jianggan District, Hangzhou, CHINA

# SF-12M

## Entry level A4 paper folder

### MAIN FEATURES:

Folding speed:	7000 sheets/ hour
Paper size:	B6(125x176mm) - A4(210x297mm)
Paper weights:	35~120 g/m <sup>2</sup>
Hopper capacity:	300 sheets, 64 g/m <sup>2</sup>
Power supply:	220V, 50Hz/ 110V, 60Hz
Dimensions:	W 490 x D 480 x H 390 mm
Weight:	19Kg



### PRODUCT FEATURES:

Digital display with ascending and descending counter, guarantee an easy operation. Cleared marked fold settings. Include Single, Letter, Zigzag, Double parallel. Extendable feed tray saving your space on the desk.

Paper folder SF-12M is solid and durable machine, which is an extremely economical solution to fold higher volumes of paper as well. The SF-12M can process a large variety of applications. The SF-12M Office Desktop Folder provides an economical solution for low-volume folding projects. User-friendly features include an LCD control panel with 3-digit resettable counter, Auto Batch for processing sets of documents, and an output conveyor with easily-adjustable stacker wheels for neat sequential stacking of folded pieces. Clearly marked fold settings and out-of-the-box operation make this folder ideal for churches, schools and small office that demand quick and easy set-up with minimal adjustment.

# CONTENTS

<b>P1-P6</b>	Paper folder
<b>P7-P9</b>	Paper cutter
<b>P10-P11</b>	Spot UV coater
<b>P12-P14</b>	Book binder
<b>P15-P17</b>	Laminator
<b>P18</b>	Business card cutter
<b>P19</b>	Electric creaser
<b>P20</b>	Booklet maker



# SF-14M

## Compact paper folder with 4 fold plates



### MAIN FEATURES:

Folding speed:	7000 sheets/ hour
Paper size:	B6(125x176mm) - A4(210x297mm)
Paper weights:	35~120 g/m <sup>2</sup>
Hopper capacity:	300 sheets, 64 g/m <sup>2</sup>
Power supply:	220V, 50Hz/ 110V, 60Hz
Dimensions:	W 530 x D 480 x H 480 mm
Weight:	25Kg




### PRODUCT FEATURES:

Connect with A4 vertical stacker to collect small folded sheets.  
More than 10 fold types available, minimum folded sheet height 17 mm.  
Extendable feed tray saving your space in your room.

Paper Folder SF-14M is a fast, dependable and easy-to-use solution for virtually all folding applications. Popular folds are clearly marked on the fold plates for quick set-up and operation, simply slide the fold stop to the desired fold and go. Additional fold adjustments can be made with the fine tuning knobs at the end of each fold plates for precision folding.  
It's durable construction, simple operation, excellent design and attractive appearance make it a unique machine for the pharmaceutical industry.  
Paper folders are useful in almost every industry. For the pharmaceutical industry, Sunfung made the SF-14M. With simple operation and multi-function purpose, the SF-14M paper folder provides convenience and efficiency.

# SF-14M+Knife

## A4 size cross folding line



### MAIN FEATURES:

Folding speed:	7000 sheets/ hour
Paper size:	B6(125x176mm) - A4(210x297mm)
Paper weights:	50~200 g/m <sup>2</sup>
Hopper capacity:	300 sheets, 64 g/m <sup>2</sup>
Power supply:	220V, 50Hz/ 110V, 60Hz
Dimensions:	W 1876 x D 562 x H 460 mm
Weight:	66Kg



### PRODUCT FEATURES:

A4 size paper folder with creasing option.  
Cleared marked fold settings. No training needed.  
Over 10 fold types for A4 size paper cross folding job.

Paper Folder SF-14M + Knife provides an economical solution for A4 size paper cross folding job. Clearly marked fold setting and out-of-box operation make this folder ideal for pharmacy, cosmetic or toy menus that demand quick and easy set-up with minimal adjustment. The adjustment of the folding plates is done in no time: both folding plates have a self-explaining scale for 4 different fold types, include cross fold. Additionally each plate is equipped with a quick and fine-tune adjustment to achieve always perfect folding result.  
With A4 paper delivery stacker and creasing feature as option, which can maximum satisfy different folding jobs from customers locally.



# SF-32M

## A3 Efficient paper folder



### MAIN FEATURES:

Folding speed:	7000 sheets/ hour
Paper weights:	50~200 g/m <sup>2</sup>
Paper size:	B6(125x176mm) – A3(297x420mm)
Hopper capacity:	500 sheets, 64 g/m <sup>2</sup>
Power supply:	220V, 50Hz/ 110V, 60Hz
Dimensions:	W 670 x D 640 x H 510 mm
Weight:	35Kg



### PRODUCT FEATURES:

Three feed rollers avoid slip, adjustable feeding pressure.  
500 sheets hopper capacity for A3 papers  
Paper delivery roller for better paper collection



Paper Folder SF-32M is solid and durable machine, which is an extremely economical solution to fold higher volumes paper. It can process a large variety of applications and easy to operate. It works fast and accurately and can be used in any office and mailrooms.  
The SF-32M Desktop Paper Folder is able to handle sheets up to A3. The adjustment of the folding plates is done in no time: both folding plates have a self-explaining scale for 6 different fold types. Each plates is equipment with a quick and fine-tune adjustment to achieve perfect folding result. Whether the application is a letter, flyer, brochure or billing statement etc

# SF-34M

## Powerful A3 paper folder with 4 fold plates

### MAIN FEATURES:

Folding speed:	7000 sheets/ hour
Paper size:	B6(125x176mm) – A3(297x420mm)
Paper weights:	50~200 g/m <sup>2</sup>
Hopper capacity:	500 sheets, 64 g/m <sup>2</sup>
Power supply:	220V, 50Hz/ 110V, 60Hz
Dimensions:	W 900 x D 580 x H 520 mm
Weight:	55Kg



### PRODUCT FEATURES:

Over 10 fold types available based on 4 fold plates.  
Adjustable feeding pressure for different paper thickness, avoid slip.  
Connect with 2P/4P for cross folding lines, collecting small folded sheets 23 mm with A3 vertical stacker.

Paper Folder SF-34M is a fast, dependable and easy-to-use solution for virtually all folding applications. Fold adjustments can be made with fine tuning knobs at the end of each fold plates for precision folding.  
The SF-34M paper folder handles the paper with a max speed 7,400 sheets/h. The capacity of the automatic feed station is up to 500 sheets.  
For the Pharmaceutical, Beauty Industry SF-34M paper folder is a multi-purpose functioning folding machine for the pharmaceutical, cosmetic, toy factory. It's durable construction, simple operation, excellent design make it a unique in the world for the pharmaceutical industry etc.


# SF-34M+2P+A3 Stacker

A3 size Tabletop Cross Fold Line in China



## MAIN FEATURES:

Folding speed:	7000sheets/ hour
Paper size:	B6(125x176mm) – A3(297x420mm)
Paper weights:	50~157 g/m <sup>2</sup>
Paper stack capacity:	500 sheets, 80 g/m <sup>2</sup>
Power supply:	220V, 50Hz/ 110V, 60Hz
Dimensions:	W 1425 x D 1362 x H 635 mm
Weight:	98Kg



## PRODUCT FEATURES:

It's FIRST tabletop cross folding line in China. This cross folding line handles the paper with a maximum speed 7,400 sheets/h. The capacity of the automatic feed is up to 500 sheets. Over 20 fold types include cross folding available. It's one stop for all folding needs of the digital printing papers. The cross folding line is very famous for toy factories, pharmacy factories, and some other small digital printing shops, which need to do cross paper folding. Minimum can collect 23mm folded sheet size when we add the A3 stacker according customer demands. That makes it more popular in printing or packaging market.

# SF-490E

Compact powerful electric paper cutter



## MAIN FEATURES:

Model:	SF-490E	SF-460E
Max width (mm):	490	460
Min depth (mm):	30	30
Cut height:	80	80
Accuracy (mm):	0.3	0.3
Back gauge control:	Electric	Electric
Display:	Touch screen	Touch screen
Program:	5 cuts x 99 programs	5 cuts x 99 programs
Safety protection:	IR Beam guard	IR Beam guard
Power supply:	220V,50Hz/60Hz	220V,50Hz/60Hz
Dimensions(mm):	950X780X1225	945x725x1310
Net weight(kg):	165	150


## PRODUCT FEATURES:

Accommodate 490mm cutting width  
Easy to read LCD display  
Full light beam curtain and two cut buttons for operator safety  
LED illuminated cutting line  
99 programs with 5 cuts each  
Power backgauge, variable speed backgauge move

Sunfung offer quality electric Paper Cutter machines that are durable and precise. Paper cutter can be used in quick print, copy shop, or on-demand market. Even for low volume cutting environment like offices. SF-490E automatic paper cutter offers precision cutting for paper stacks up to 80mm, 490mm width max. 5 cuts per program with 99 programs totally. IR safety beam guard. Electric clamp and electric backgauge control. 0.3mm cutting accuracy with quiet operations.

# SF-H

## Heavy duty guillotine cutter with 10 inch screen



### PRODUCT FEATURES:

Hydraulic-powered, rugged construction  
 Easy-to-use 10 inch touch screen full color display  
 Beam with CE standard for operator safety  
 Double guide back gauge  
 The capacity to program up to 100 jobs/32cuts  
 Clamp pressure from 200—20,000 N adjustable  
 Omron PLC control box  
 AC Servo Motor and Taiwan Vane pump  
 Air Table  
 Quiet cutting


SF-H series paper cutter is new heavy duty guillotine cutters from Sunfung. There are the most powerful to precisely cut large stacks of paper stock. Cutting widths are available up to 800 mm.  
 SF-H series paper cutters satisfied normal need with program up to 100 jobs/32cuts. It has AC servo Motor and Vane pump from Taiwan promise longtime job and strong quality.  
 SF-H series paper cutter has 10 inch touch screen full color display help you easy to use. And beam with CE standard for operator safety  
 Our paper cutters are designed to last for years of print shop duty cutting – up to 18,000 cuttings after sharpening.

### MAIN FEATURES:

Model:	SF-H67P	SF-H80P
Max width (mm):	670	800
Min depth (mm):	30	30
Max Cut height(mm):	80	80
Accuracy (mm):	0.2	0.2
Paper clamp:	Hydraulic+Foot pedal	Hydraulic+Foot pedal
Back gauge control:	Programmable	Programmable
Display:	LED touch screen	LED touch screen
Safety:	Blade lock+CE safety beam	Blade lock+CE safety beam
Power supply:	220V,50Hz/110V60Hz	220V,50Hz/110V60Hz
Dimensions:	W1400XD1035XH1460	W1450XD1085XH1460
Net weight(Kg):	550	590
Gross weight(Kg):	620	660

# SF-P

## Productive hydraulic paper cutter



### MAIN FEATURES:

Model:	SF-52P	SF-67P	SF-72P
Max width (mm):	520	670	720
Min depth (mm):	30	30	30
Max Cut height(mm):	80	80	80
Accuracy (mm):	0.3	0.3	0.3
Paper clamp:	Hydraulic+Foot pedal	Hydraulic+Foot pedal	Hydraulic+Foot pedal
Back gauge control:	Programmable	Programmable	Programmable
Display:	LED touch screen	LED touch screen	LED touch screen
Safety:	Blade lock+CE safety beam	Blade lock+CE safety beam	Blade lock+CE safety beam
Power supply:	220V, 50Hz/60Hz	220V, 50Hz/60Hz	220V, 50Hz/60Hz
Dimensions:	W1410XD1140XH1520	W1610XD1310XH1520	W1610XD1310XH1520
Net weight(Kg):	350	410	460
Gross weight(Kg):	400	480	550

### PRODUCT FEATURES:

Hydraulic-powered, rugged construction  
 Easy-to-read LED touch screen full color display  
 Beam with CE standard for operator safety  
 Double guide back gauge  
 The capacity to program up to 50 jobs/16cuts  
 Clamp pressure from 200—20,000 N adjustable  
 Omron PLC control box  
 Ball roller non-slot paper table

SF-P series hydraulic and programmable paper cutters are available in fully-automatic models. Cutting widths are available up to 720 mm. SF-P has double guide back gauge to promise long time use .SF-P series of paper cutters with US / Europe OEM quality so that they are user friendly and easy to operate, thanks to features such as LED display touch screen with full status and side buttons for easy two-hand operation. Omron PLC control box satisfied demand of customer and longtime job. It is easy to move paper with ball roller non-slot paper table. SF-P series paper cutter duty cutting – up to 18,000 cuttings after sharpening.



# SF-370/F

## Spot UV coating machine 2.0



### MAIN FEATURES:

Model:	Spot UV coater 1.0	Spot UV coater 2.0
Paper size:	Max: 370x750mm Min: 210x279mm	Max: 370x750mm Min: 210x279mm
Paper thickness:	110-400gsm	110-400gsm
Print head:	Piezo method Resolution 360x1440dpi	Piezo method Resolution 360x1440dpi
Printing width:	330mm	330mm
Ink supply method:	Industrial recirculating ink supply system, no purge needed	Industrial recirculating ink supply system, no purge needed
Average ink usage:	20ml/sq.m for 20um	20ml/sq.m for 20um
Foil:	No	Yes
Foil roller dimension(mm):	No	Inner core : DIA 76.20 , With foil max: DIA 350
Print data format:	PDF/TIFF	PDF/TIFF
Print correction:	Duo auto camera correction Image register marks	Duo auto camera correction Image register marks
Print accuracy:	+/-0.2mm	+/-0.2mm
Print thickness:	20 - 80um +/-10um depend on paper quality	20 - 80um +/-10um depend on paper quality
Process speed:	2,160 x A3 sheets per hour for coating thickness 20-40um	2,160 x A3 sheets per hour for coating thickness 20-40um
Feed tray capacity:	500mm	500mm
Paper feeding:	Belt suction/plate suction from the top	Belt suction/plate suction from the top
Sheet separation:	Front and side air separation	Front and side air separation
Stacking capacity:	180mm	180mm
Power:	Three phase 380V AC, 12KW	Three phase 380V AC, 12KW
Operating environment:	Recommend temperature 20 to 30 C. Humidity 30% to 50% RH with No condensation.	Recommend temperature 20 to 30 C. Humidity 30% to 50% RH with No condensation.
Dimensions(LxWxH):	4000x1000x1750mm	6500x1000x1750mm
Weight:	950Kg	1750Kg
Options:	160um thick printing module / 720x1440 dpi	160um thick printing module / 720x1440 dpi
Air supply:	Air with no oil or water, 6 bar	Air with no oil or water, 6 bar
Air consumption:	15L/min	15L/min



### PRODUCT FEATURES:

Spot UV coating with foil in one pass  
Inkjet technology and UV lamp for instant curing  
Easy pre-press preparation and operation  
Twin accurate camera image registration for 2 times printing  
Air suction feed system  
10 minutes from setting to samples print out  
24 hours working with no stop  
160um thickness printing module options

### SPOT UV COATING

SUNFUNG 370 series Spot UV coater with foil allows customer to make different result on the Business cards, Greeting cards, Postcards, Photo and wedding albums, Brochures and some packaging and advertising materials, by add the glossy three-dimensional spot coating with or without foil to printed images or texts. Left a very unique impressions to your customers.

### PRODUCTIVITY

The SUNFUNG 370 series Spot UV coater supports a sheet size of 370 x 750mm, for SRA3 format digital production press. Running speed at 2160 x A3 sheets an hour, means for 1000 sheets of 250gsm, spot UV coating for 20um with foil job finished within 30 minute.

### 24 HOURS WORKING

The ink is controlled PID ( Print in Demand ) system, ensure accurate ink supply. . Recycle system help to exclude the bubbles from digital printings, increase the keep working time for 24 hours.

### FOIL PRESS ONLINE

It has the foil press module offer more satisfy to different customers added the Spot UV coatings. One pass Spot UV coating with foil speed up the production efficiency and lower the total cost include the material and labor.

# SF-D60C

Automatic binding machine with side glue



## MAIN FEATURES:

Model:	D60C-A3	D60C-A4
Max book length(mm):	425	310
Spine thickness(mm):	60	60
Bind speed(books/h):	200-400	200-400
Cutting method:	Notching and Milling	Notching and Milling
Warm up time:	Less than 25 minutes	Less than 25 minutes
Glue type:	EVA	EVA
Glue roller:	Single roller	Single roller
Side glue:	Yes	Yes
Power supply:	AC 220V,50Hz 110V,60Hz	AC 220V,50Hz 110V,60Hz
Dimension(mm):	W1590 X D750 X H1100	W1330 X D750 X H1100
Net weight(kg):	220	190
Option:	Creaser, Dust extraction device	Creaser, Dust extraction device

## PRODUCT FEATURES:

LED display, multi-parameter settings  
EVA hot melt side glue for fast finishing  
Dust extraction option  
Strong milling and notching device  
Spine thickness up to 60mm  
Adjustable clamp table position for different thickness book cover

Book Binder SF-D60C is specially designed for cut sheet application and offers simple operation with minimal training needed to produce professional quality books. Sunfung SF-D60C book binder single clamp perfect binder, satisfies the fast growing demand for short-run digital books binding. Entry level automatic perfect binder with LCD display, allows the operator to easily adjust a range of settings include clamping pressure, nipping pressure and much more.

# SF-S60C

Professional binding machine with 3 rollers + side glue



## MAIN FEATURES:

Model:	S60C-A3	S60C-A4
Max book length(mm):	425	310
Spine thickness(mm):	60	60
Bind speed(books/h):	200-400	200-400
Cutting method:	Notching and Milling	Notching and Milling
Warm up time:	Less than 35 minutes	Less than 35 minutes
Glue type:	EVA	EVA
Glue roller:	Three rollers	Three rollers
Side glue:	Yes	Yes
Power supply:	AC 220V,50Hz 110V,60Hz	AC 220V,50Hz 110V,60Hz
Dimension(mm):	W1770 X D750 X H1150	W1480 X D750 X H1150
Net weight(kg):	230	200
Option:	Creaser, Dust extraction device	Creaser, Dust extraction device

## PRODUCT FEATURES:

LED display, multi-parameter settings  
3 rollers system ensure perfect and firm binding  
Dust extraction option  
Strong milling and notching device  
With creasing machine options  
EVA Hot melt side glue benefits

Book Binder SF-S60C from Sunfung is middle level perfect binder, designed for short to medium runs with excellent result. Three glue rollers with side glue feature guarantee fast binding speed and help to make more flat book bindings. Also the SF-S60C book binder nipping table depth is adjustable for different kind of covers. Dust extractor option help to make clean binding environment. Creasing option which bind perfect square backed books or pads.



# SF-B600

## Heavy duty glue binding machine for Art Paper



### PRODUCT FEATURES:

Touch screen operation complete with automatic format change  
 Three rollers and side glue ensure perfect and firm binding  
 Dust extraction option  
 Strong milling and notching device  
 With creasing machine options  
 Suitable for Art Printing Paper

Book Binder SF-B600 from Sunfung is the most advanced version with touch screen control panel.  
 The user friendly and automatic SF-B600 series perfect binder brings professional perfect binding to your place. Producing up to 300 books per hour, which is ideal for short-run, on demand applications.  
 With the automated performance and other outstanding features typically reserved for more expensive models, this perfect binder provides centrally located controls for single operator efficiency. Simply place flat sheets into the clamp where pages are gripped automatically and the binding process begins. Flexible clamping and ripping system ensure consistent square binds.

The SF-B600 perfect binder offers easy changeover to tape binding and two different tapes sizes are available. Other enhancements include new milling and notching blades along with a new side glue tank for improved glue application and binding. The side glue provides better adhesion and helps form the book spine. The clamp also features a newly, redesigned double rail for enhanced binding performance.

### MAIN FEATURES:

Model:	B600T	B600M
Max book length(mm):	425	425
Spine thickness(mm):	60	60
Bind speed(books/h):	200-400	200-400
Cutting method:	Notching and Milling	Notching and Milling
Warm up time:	Less than 35 minutes	Less than 35 minutes
Glue type:	EVA	EVA
Glue roller:	Three rollers	Three rollers
Side glue:	Yes	Yes
Art paper:	Yes	No
Control panel:	Touch screen	Touch screen
Power supply:	AC 220V,50Hz 110V,60Hz	AC 220V,50Hz 110V,60Hz
Dimension(mm):	W1700 X D750 X H1000	W1480 X D750 X H1150
Net weight(kg):	350	350
Option:	Creaser, Dust extraction device	Creaser, Dust extraction device

# SF-390

## Heavy duty digital laminator



### MAIN FEATURES:

Model:	SF-390
Max film width(mm):	380
Max film thickness(mm):	6
Power consumption(W):	1500
Max speed(m/min) :	5m
Temperature range( C ):	20-140
Paper thickness( gsm )	90-600
Warm up time:	10 minutes
Rollers:	4 ( 1 steel + 3 rubber )
Core size:	1" & 3"
Heating method:	Steel roller,
Power supply:	220-240, 50Hz/
Machine Dimension(mm):	W1010 x D740 x H620
Gross weight(Kg)	100




### PRODUCT FEATURES:

The anti-curl bar allows thin film laminates to be flat  
 Laminates 1-10.0 mil, one side  
 Fast speed and temperature control  
 Non-sticky film roller  
 Steel roller for even heating  
 Mechanical cam clamp system, better than Spring.

The digital laminator from Sunfung is a hot laminator and allows the flexibility of single side OPP roll film lamination and encapsulation providing an affordable and effective solution to outsourcing. Built for continuous use on an everyday basis and constructed using parts of the highest quality only. The digital laminator has been designed to help breathe life into your business by allowing you to provide your customers with a service you previously had to outsource, enabling you to offer your customer a truly one-step shop.

# SF-Z

## Hydraulic laminator with separation feature



### MAIN FEATURES:

Model:	SF-520Z	SF-720Z
Max film width(mm):	480	690
Max film thickness(mm)	6	6
Power consumption(W):	4000	4000
Max speed(m/min) :	12	12
Temperature range( C ):	20-160	20-160
Paper thickness( gsm )	90-600	90-600
Warm up time:	12 minutes	12 minutes
Rollers:	4 ( 2 steel + 2 rubber )	4 ( 2 steel + 2 rubber )
Core size:	3"	3"
Heating method:	Steel roller	Steel Roller
Hydraulic pressure:	5-6 Mpa	5-6 Mpa
Power supply:	220-240, 50-60Hz	220-240, 50-60Hz
Package Dimension(mm):	W900 x D1600 x H1400	W1100 x D1900 x H1400
Gross weight(Kg)	380	480

### PRODUCT FEATURES:

Auto separation feature  
Hydraulic control paper press  
Heavy duty construction  
Fast speed and temperature control  
Non-sticky film roller  
Thermal or Cold laminating  
Steel roller for even heating  
Overlap feed separation  
Higher standard electrical control.

The semi-automatic feed with auto-overlap makes it easy to feed your work through the laminator and the separator ensures it's ready for the guillotine the moment it's been laminated.

Roll laminators from Sunfung have unique anti-curl technology, in sync with the control panel, ensures that whatever you laminate – a menu, a book cover or a sheet of business cards – comes out flat with no curl or uplift.

# SF-B

## Semi-automatic hydraulic laminator



### MAIN FEATURES:

Model:	SF-520B	SF-720B
Max film width(mm):	480	690
Max film thickness(mm)	6	6
Power consumption(W):	4000	4000
Max speed(m/min) :	12	12
Temperature range( C ):	20-160	20-160
Paper thickness( gsm )	90-600	90-600
Warm up time:	12 minutes	12 minutes
Rollers:	4 ( 2 steel + 2 rubber )	4 ( 2 steel + 2 rubber )
Core size:	3"	3"
Heating method:	Steel roller	Steel Roller
Hydraulic pressure:	5-6 Mpa	5-6 Mpa
Power supply:	220-240, 50-60Hz	220-240, 50-60Hz
Package Dimension(mm):	W800 x D1200 x H1200	W1100 x D1700 x H1400
Gross weight(Kg)	240	300
Option:	Auto separation	Auto separation

### PRODUCT FEATURES:

Auto Separation option  
The anti-curl bar allows thin film laminates to be flat  
Laminates 1-10.0 mil, one side  
Fast speed and temperature control  
Non-sticky film roller  
Thermal or Cold laminating  
Steel roller for even heating

The Roll laminator designed in-house by Sunfung to help breathe life into your business by allowing you to provide your customers with a service you previously had to outsource. It has anti-curl technology to ensure that whatever you laminate comes out smooth and flat. Also it has a semi-automatic feed with auto-overlap. This is the best value single-sided laminator on the market, is simple to use, easy to maintain, quick and reliable. s with a service you previously had to outsource, enabling you to offer your customer a truly one-step shop.

# SF-E

## 0.05mm accuracy fast speed card cutter



### PRODUCT FEATURES:

Automatic friction feeding  
Two sheets detection  
Programmable set  
LCD display  
CE safety standard  
Self-sharpening blades  
1 million cutting guarantee

Sunfung introduces print finishing equipment the SF-E series automatic Business Card Cutter. This automatic friction feed business card cutter comes standard with gutter cut producing 10-up business cards from a A4, A3, SRA3, A3+ size sheet. Able to cut coated sheet, laminated sheet, card sheet and other printed material. Equipped with waste bin, easy to use LCD display screen and the ability to control the cutting accuracy with a register mark reader. Additional cartridges are available to produce different card sizes. This high precision machine is built stylish and durable with long life self-sharpening blades. This machine is simple to operate and requires little maintenance. Exchangeable cartridges allows you to cut 2" x 3.5" cards.

### MAIN FEATURES:


	SF-EA4	SF-EA3
Model:	SF-EA4	SF-EA3
Paper thickness(gsm):	180 - 450	180 - 350
Paper feed size:	A4 size(210x297mm), 8.5"x11", 8.5"x14"	A3 size(297x420mm), 11"x17"
Card size:	(85,89,90,95,custom) x (1-600mm) or (45,50,54mm)	
Paper type :	Coated paper, non-coated paper, laminated paper	
Feed volume:	3mm or 12 pcs paper (0.25mm)	
Feeding:	Double roller friction	
Cutting accuracy(mm):	+/-0.05	+/-0.05
Cutting speed:	100 pcs/ 30 seconds	100 pcs/ 30 seconds
Machine dimension(mm):	460x540x260	500x620x260
Weight(Kg):	19	25
Power supply:	AC 90-220V, 50/60Hz, 0.5A	AC 90 - 260V, 50/60Hz, 0.5A

# Entry electric creaser

## Semi-automatic control

### MAIN FEATURES:

Model:	SF-10
Paper length(mm):	90 - 900
Paper width(mm):	50 - 340
Paper weight(gsm):	100 - 350
Work accuracy(mm) :	+/- 0.3
Work speed(sheets/h):	2400
Max crease line per sheet:	32
Power supply(mm):	220V, 50Hz/ 110V, 60Hz
Machine dimension(mm):	620x620x490
Weight(Kg):	48




### PRODUCT FEATURES:

Coated paper, offset paper, laminated paper, photo paper 100-350gsm  
Single crease, perforating available  
32 lines available in one crease  
Safety digital control according to CE standard  
Easy blade replacement and maintenance

The SF-10 Automatic Creaser is an ideal tabletop creaser for the digital printing and photo album making industry. With creasing, perforating, available, it handles coated paper, laminated paper, offset paper, etc.


# SF-11 booklet maker

Stable and Tough A3+ size



## MAIN FEATURES:

Capacity : 25 sheets, 80gsm  
 Max speed: 1000sets/h  
 Sheet Size: 182x257mm-330x480mm  
 Paper weight: 30-180gsm  
 Staple modes: Saddle, Side,  
 Staple heads: 2  
 Counter: 4 digit up (3 digit down)  
 Staple size: 66/6  
 Dimensions: W 520 x D 580 x H 300mm  
 Weight: 44 Kg



## PRODUCT FEATURES:

1000 books per hour  
 Saddle, Edge and Corner stapling  
 Up to 72 pages' booklets on 80gsm  
 Paper weight from 30 to 180gsm  
 Booklet size from B6 to A4+  
 LCD display  
 Auto/ Manual adjustable

Sunfung's booklet making machine is the perfect equipment for making up to 1000 books per hour. With a fully functional LED display, and an easily adjustable auto-manual functionality, using the booklet maker is a breeze. It also allows for edge, saddle or corner stapling.

## ABOUT US

Sunfung is a manufacturer and supplier for paper folder, paper cutter, laminator, creaser and spot UV coater from China.

Our R&D team been in the market working for Duplo China over 8 years.

6 years experiences in the market, most products have CE certification, passed SGS inspection according customers request.

Sunfung hold the philosophy to make your each order with stable quality with less trouble happens. Reducing your time and energy for service is helping you save money, increase margins.

We do not guarantee offer you best price, but offer best value products for long-term business cooperation.

